

Publications by Julius Muschaweck

- [1] Bauer, A., Pesch, M., Muschaweck, J., Leupelt, F., and Rolland, J., “All-reflective electronic viewfinder enabled by freeform optics,” *Optics Express* **27**(21), 30597–30605 (2019). doi: 10.1364/OE.27.030597.
- [2] Bauer, A., Pesch, M., Muschaweck, J., and Rolland, J., “All-reflective freeform viewfinder,” *Freeform Optics - Proceedings Optical Design and Fabrication 2019 (Freeform, OFT)*, Optical Society of America (OSA) (2019). doi: 10.1364/FREEFORM.2019.FM2B.4.
- [3] Muschaweck, J. and Rehn, H., “Illumination design patterns for homogenization and color mixing,” *Advanced Optical Technologies* **8**(1), 13–32 (2019). doi: 10.1515/aot-2018-0051.
- [4] Hirst, A., Muschaweck, J., and Tez, P., “Fast, deterministic computation of irradiance values using a single extended source in 3D,” *Optics Express* **26**(14), A651–A656 (2018). doi: 10.1364/OE.26.00A651.
- [5] Koshel, R., Ashdown, I., Brandenburg, W., Chabaud, D., Dross, O., Gangadhara, S., Garcia, K., Gauvin, M., Groot Gregory, G., Hansen, D., Haraguchi, K., Hasna, G., Jiao, J., Kelley, R., and Muschaweck, J., “Data format for ray file standard,” *Optics InfoBase Conference Papers* (2013).
- [6] Muschaweck, J. and Wiesmann, C., “Extracting light out of LEDs,” *Advanced Optical Technologies* **2**(4), 291–300 (2013). doi: 10.1515/aot-2013-0027.
- [7] Gregory, G., Ashdown, I., Brandenburg, W., Chabaud, D., Dross, O., Gangadhara, S., Garcia, K., Gauvin, M., Hansen, D., Haraguchi, K., Hasna, G., Jiao, J., Kelley, R., Koshel, J., and Muschaweck, J., “Data format standard for sharing light source measurements,” *Proceedings of SPIE - The International Society for Optical Engineering* **8835**, SPIE (2013). doi: 10.1117/12.2021670.
- [8] Muschaweck, J., “Optical design using luminance in ray data sets,” *Proceedings of SPIE - The International Society for Optical Engineering* **8485** (2012). doi: 10.1117/12.930605.
- [9] Wiesmann, C., Linkov, A., and Muschaweck, J., “Estimating the performance of remote phosphor SSL devices by simulations,” *Proceedings of SPIE - The International Society for Optical Engineering* **8550** (2012). doi: 10.1117/12.2001607.

- [10] Muschaweck, J., “The status of the ray-file standard for LED sources,” *Solid-State and Organic Lighting, SOLED 2012*, Optical Society of America (OSA) (2012). doi: 10.1364/soled.2012.lt4b.2.
- [11] Muschaweck, J., “What’s in a ray set: Moving towards a unified ray set format,” *Proceedings of SPIE - The International Society for Optical Engineering* **8170** (2011). doi: 10.1117/12.896757.
- [12] Muschaweck, J., “Randomized micro lens arrays for color mixing,” *Proceedings of SPIE - The International Society for Optical Engineering* **7954** (2011). doi: 10.1117/12.877219.
- [13] Weiss, H., Muschaweck, J., Hadrath, S., and Kudaev, S., “Optics designs for an innovative LED lamp family system,” *Proceedings of SPIE - The International Society for Optical Engineering* **8170** (2011). doi: 10.1117/12.903050.
- [14] Muschaweck, J., Brick, P., Grötsch, S., and Schwalenberg, S., “Primary optics for LEDs – State of the art of optical architectures,” *Proceedings of SPIE - The International Society for Optical Engineering* **7652** (2010). doi: 10.1117/12.868632.
- [15] Ries, H., Leike, I., and Muschaweck, J., “Optimized additive mixing of colored light-emitting diode sources,” *Optical Engineering* **43**(7), 1531–1536 (2004). doi: 10.1117/1.1753273.
- [16] Timinger, A., Muschaweck, J., and Ries, H., “Designing tailored free-form surfaces for general illumination,” *Proceedings of SPIE - The International Society for Optical Engineering* **5186**, 128–132 (2003). doi: 10.1117/12.505918.
- [17] Ries, H., Leike, I., and Muschaweck, J., “Mixing colored LED sources,” *Proceedings of SPIE - The International Society for Optical Engineering* **5186**, 27–32 (2003). doi: 10.1117/12.509669.
- [18] Pohl, W., Anselm, C., Knoflach, C., Timinger, A., Muschaweck, J., and Ries, H., “Complex 3D-tailored facets for optimal lighting of facades and public places,” *Proceedings of SPIE - The International Society for Optical Engineering* **5186**, 133–142 (2003). doi: 10.1117/12.508383.
- [19] Ries, H. and Muschaweck, J., “Tailored freeform optical surfaces,” *Journal of the Optical Society of America A: Optics and Image Science, and Vision* **19**(3), 590–595 (2002). doi: 10.1364/JOSAA.19.000590.

- [20] Ries, H. and Muschaweck, J., “Tailoring freeform lenses for illumination,” *Proceedings of SPIE - The International Society for Optical Engineering* **4442**, 43–50 (2001). doi: 10.1117/12.449957.
- [21] Ries, H., Muschaweck, J., and Timinger, A., “New methods of reflector design,” *Optics and Photonics News* **12**(8), 46–49 (2001). doi: 10.1364/OPN.12.8.000046.
- [22] Muschaweck, J., Spirkl, W., Timinger, A., Benz, N., Dörfler, M., Gut, M., and Kose, E., “Optimized reflectors for non-tracking solar collectors with tubular absorbers,” *Solar Energy* **68**(2), 151–159 (2000). doi: 10.1016/S0038-092X(99)00066-3.
- [23] Ries, H. and Muschaweck, J., “Double-tailored microstructures,” *Proceedings of SPIE - The International Society for Optical Engineering* **3781**, 124–128, Society of Photo-Optical Instrumentation Engineers, Bellingham, WA, United States (1999).
- [24] Ries, H. and Muschaweck, J., “Maximum gap of ideal concentrators for cylindrical absorbers,” *Proceedings of SPIE - The International Society for Optical Engineering* **3781**, 120–123, Society of Photo-Optical Instrumentation Engineers, Bellingham, WA, United States (1999).
- [25] Spirkl, W., Timinger, A., Ries, H., Kribus, A., and Muschaweck, J., “Non-axisymmetric reflectors concentrating radiation from an asymmetric heliostat field onto a circular absorber,” *Solar Energy* **63**(1), 23–30 (1998). doi: 10.1016/S0038-092X(98)00037-1.
- [26] Spirkl, W., Ries, H., Muschaweck, J., and Winston, R., “Nontracking solar concentrators,” *Solar Energy* **62**(2), 113–120 (1998). doi: 10.1016/S0038-092X(97)00106-0.
- [27] Spirkl, W., Timinger, A., Ries, H., Kribus, A., and Muschaweck, J., “Asymmetrical cone-type secondary concentrators for Fresnel type reflectors in solar towers,” *Proceedings of SPIE - The International Society for Optical Engineering* **3139**, 86–93 (1997). doi: 10.1117/12.279221.
- [28] Spirkl, W., Ries, H., Muschaweck, J., and Timinger, A., “Optimized compact secondary reflectors for parabolic troughs with tubular absorbers,” *Solar Energy* **61**(3), 153–158 (1997). doi: 10.1016/S0038-092X(97)00047-9.

- [29] Spirkel, W., Muschaweck, J., Kronthaler, P., Schölkopf, W., and Spehr, J., “In situ characterization of solar flat plate collectors under intermittent operation,” *Solar Energy* **61**(3), 147–152 (1997). doi: 10.1016/S0038-092X(97)00048-0.
- [30] Muschaweck, J. and Spirkel, W., “Dynamic solar collector performance testing,” *Solar Energy Materials and Solar Cells* **30**(2), 95–105 (1993). doi: 10.1016/0927-0248(93)90011-Q.
- [31] Spirkel, W. and Muschaweck, J., “General model for testing solar domestic hot water systems,” *Solar Energy Materials and Solar Cells* **28**(1), 93–102 (1992). doi: 10.1016/0927-0248(92)90110-B.